

Patent
VT0316-US1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Weiqun Yang
Serial No.: 10/074,403 **Examiner:** G. Manuel
Filed: 02/11/2002 **Art Unit:** 3762
Docket No.: VT0316-US1

RECEIVED
CENTRAL FAX CENTER
DEC 13 2004

AMENDMENT TRANSMITTAL LETTER

Commissioner for Patents
P.O.Box 1450
Alexandria, VA 22313-1450
Sir:

Transmitted herewith is a response to Office Action, in the above-identified application.


	Applicant petitions for an extension of time for __ month(s) to respond to the Office Action dated ____. If an additional extension of time is required, please consider this a petition therefor.	\$
	An extension for __ month(s) has already been secured; the fee paid therefor is deducted from the total fee due for the total months of extension now requested.	\$ --
	Extension fee due with this request	\$ --
x	Applicant believes that no extension of time is required to respond to the Office Action dated September 28, 2004. However, this conditional petition is being made to provide for the possibility that applicant has inadvertently overlooked the need for a petition for extension of time.	
	No additional fee for claims is required.	
x	The fee for claims has been calculated as shown below	

CLAIMS AS AMENDED

	CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL CLAIMS	25 minus	15 =	5 x	\$ 50.00	\$250.00
INDEPENDENT CLAIMS	3 minus	2 =	0 x	\$ 200.00	\$
MULTIPLE DEPENDENT				\$ 360.00	
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT					\$250.00

Charge \$250.00 to Deposit Account No. 22-0285 of Ventrifex, Inc. Sunnyvale, California. Please charge any additional fees for claims or credit overpayment to Deposit Account No. 22-0285. If any additional extension fee is required, please charge to Deposit Account No. 22-0285. This form is submitted in duplicate.

Respectfully submitted,


Steven M. Mitchell
Reg. No. 31,857
Attorney for Applicant

PACESETTER, INC.
701 E. Evelyn Avenue
Sunnyvale, CA 94086
Telephone: (408) 522-8101

I hereby certify that this correspondence is being sent via facsimile transmission to: Mail Stop: No Fee Amendment, Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450, Fax No. 703-872-8306, Examiner George Manuel on 12/13/04.

Jeanne Dwyer December 13, 2004
Date

BEST AVAILABLE COPY

DEC 13 2004

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Wei qun Yang	Examiner:	G. Manuel
Serial No.:	10/074,403	Art Unit:	3762
Filed:	02/11/2002		
Docket No.:	VT0316-US1		
For:	METHOD OF BI-VENTRICULAR PACING AND SENSING IN AN IMPLANTABLE DEVICE		

AMENDMENT AND REQUEST FOR RECONSIDERATION

Mail Stop Amendments
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I hereby certify that this correspondence is being facsimile
transmitted to the United States Patent and Trademark Office
on:

December 13, 2004

Jeanne Guynes 12/13/04
Jeanne Guynes Date

Dear Sir:

In response to the Office Action dated September 28, 2004, please amend the
above-identified patent application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on
page 3 of this paper

Remarks begin on page 10 of this paper.

Serial No. 10/074,403

Page 1 of 13

Docket No. VT0316-US1

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.